

Work Order ID 85229

85229

Page 1

June-04-12 3:52:35 PM

Item ID: D4387-041 Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: Harness Assembly
 Start Date: 04/06/2012 Start Qty: 4.00 *4* Cust Item ID:
 Required Date: 18/06/2012 Req'd Qty: 4.00 *4* Customer:
 Reference:

Approvals: Process Plan: MLJ Date: 12/06/05 Tooling: Date: Run Start *NR1*
 QC: Date: SPC (Y/N): Date: Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D4387	B

100	PURCHASING	0.00							
-----	------------	------	--	--	--	--	--	--	--

100
 Purchasing
 Purchasing
 Memo
 Issue P/O: 17131
 P/N: 4192-1-011-2396
 Possible supplier: Amsafe
 Certificate of conformaty is required

CL 12/06/05 (4)

110	Receive & Inspect for Damage & Mat'l Certs	0.00							
-----	--	------	--	--	--	--	--	--	--

110
 Packaging
 Packaging
 Memo
 Ensure certificate of conformity is attached

12/6/05 (4)

120	QC5- Inspect part completeness to step on W/O	0.00							
-----	---	------	--	--	--	--	--	--	--

120
 QC
 Quality Control
 Memo
 8/2/06/26

(x4)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 85229

85229

Page 2

June-04-12 3:52:35 PM

Item ID: D4387-041

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Harness Assembly

Start Date: 04/06/2012 Start Qty: 4.00

4

Cust Item ID:

Required Date: 18/06/2012 Req'd Qty: 4.00

4

Customer:

Reference:

Run Start

NR1

Approvals:

Process Plan:

Date:

Tooling:

Date:

Stop

NR2

QC:

Date:

SPC (Y/N):

Date:

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

150

Identify as per dwg & Stock Location:

ST263

0.00

150

Packaging

Memo

0.00

Packaging

4x

SP

12-6-26

160

QC21- Final Inspection - Work Order Release

0.00

160

QC

Memo

0.00

Quality Control

12/6/26

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

June-04-12 3:52:39 PM

Page 1

Work Order ID: 85229

85229

Parent Item: D4387-041

D4387-041

Parent Item Name: Harness Assembly

Start Date: 04/06/2012

Required Date: 18/06/2012

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP rev A 11.05.25 new issue EC verified by: DD

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
4192-1-011-2396		Purchased		No			Each	0.0000		4			

4192-1-011-2396

4-point Restraint, Separate Shoulder Straps

**

6/26/12 (4)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries

SPECIFICATION CONTROL DRAWING




D4387-7

D4387-5



D4387-3



D4387-1

D4387-041 HARNESS ASSEMBLY

ITEM	QTY -041	QTY -1	QTY -3	QTY -5	QTY -7	DART P/N	DESCRIPTION	AMSAFE P/N OR MATERIAL P/N
	X					D4387-041	HARNESS ASSEMBLY	4192-1-011-2396
1		X				D4387-1	BUCKLE HALF	4192-2010112396
1			X			D4387-3	CONNECTOR HALF	4192-2030112396
1				X		D4387-5	SHOULDER STRAP	4192-2050112396
1					X	D4387-7	SHOULDER STRAP	4192-2060112396
1		A/R	A/R	A/R	A/R		WEBBING, POLYESTER	T1200-5
2		A/R	A/R	A/R	A/R		THREAD	207
3		A/R	A/R	A/R	A/R		THREAD	69
4		1					BUCKLE ASSY	502750-401
5			1				CONNECTOR ASSY	504459-417-72
6				1	1		ADJUSTER ASSY	503050-409
7				1	1		PULL TAB	500976-425
8					1		ADAPTER, HARNESS	505122-2-72
9				1			ADAPTER, HARNESS	505122-1-72
10				1	1		INSERT	AFG0568293
11		1	1				LABEL	447664
12				1	1		LABEL	447664
13		1	1				HOOK ASSY	502737-441-72
14		1	1	1	1		WEB SLIDE	503964-1
15		2	2				PLUG	502813

NOTES:

- 1) PURCHASE: D4387-041/-1/-3/-5/-7 FROM AMSAFE INC., Phoenix, AZ.
- 2) FINISH: N/A
- 3) TOLERANCES: .XXX ±0.250
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: USE PLASTIC ENGRAVED TAGS AND LABEL PER FAR 21.607 TO CONTAIN THE FOLLOWING AT MINIMUM:
MANUFACTURER P/N: 4192-1-011-2396
CUSTOMER P/N: D4387-041
DATE OF MFG
CONFORMS TO FAA TSO-C114
- 7) WEIGHT: 1.75 lb
- 8) INDICATED DIMS ARE FULLY EXTENDED LENGTHS

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 85229 MLJ
12/06/05

RELEASED
2011-06-16

B	3.000 TYP WAS 2.000 TYP (ZN D6-1) (REF. NCR11-644)	MB	11.06.07
A	NEW ISSUE (REF. CAR10-011)	MB	11.05.02
REV.	DESCRIPTION	BY	DATE
DESIGN			
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	11.06.07		

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO. D4387
TITLE HARNESS ASSEMBLY
REV. B
SHEET 1 OF 2
SCALE
NTS

COPYRIGHT © 2011 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

SPECIFICATION CONTROL DRAWING



D4387-9



D4387-13

D4387-11

D4387-043 HARNESS ASSEMBLY

ITEM	QTY -043	QTY -9	QTY -11	QTY -13	DART P/N	DESCRIPTION	AMSAFE P/N OR MATERIAL P/N
	X				D4387-043	HARNESS ASSEMBLY	4173-2-021-2396
1		X			D4387-9	SHOULDER STRAP	4173-2110212396
1			X		D4387-11	BUCKLE HALF	4173-2070212396
1				X	D4387-13	CONNECTOR HALF	4173-2090212396
1		A/R	A/R	A/R		WEBBING, POLYESTER	T1200-5
2		A/R	A/R	A/R		THREAD	207
3		A/R	A/R	A/R		THREAD	69
4			1			BUCKLE ASSY	502750-401
5				1		CONNECTOR ASSY	504459-417-72
6		2				ADJUSTER ASSY	503050-409
7		2				PULL TAB	500876-425
8		1				ADAPTER, HARNESS	505122-2-72
9		1				ADAPTER, HARNESS	505122-1-72
10		2				INSERT	AFG0568293
11			1	1		LABEL	447664
12		1				LABEL	447664
13		2	1	1		HOOK ASSY	502737-441-72
14			1	1		WEB SLIDE	503964-1
15			2	2		PLUG	502813
16		1				END FITTING	501743-21-72

NOTES:

- 1) PURCHASE: D4387-043/-9/-11/-13 FROM AMSAFE INC., Phoenix, AZ.
- 2) FINISH: N/A
- 3) TOLERANCES: .XXX ±0.250
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: USE PLATIC ENGRAVED TAGS AND LABEL PER FAR 21.607 TO CONTAIN THE FOLLOWING AT MINIMUM:
MANUFACTURER P/N: 4173-2-021-2396
CUSTOMER P/N: D4387-043
DATE OF MFG
CONFORMS TO FAA TSO-C114
- 7) WEIGHT: 1.85 lb
- 8) INDICATED DIMS ARE FULLY EXTENDED LENGTHS

RELEASED
2011-06-16

DESIGN		DART AEROSPACE LTD
DRAWN		HAWKESBURY, ONTARIO, CANADA
CHECKED		DRAWING NO. REV. B
MFG. APPR.		D4387 SHEET 2 OF 2
APPROVED		TITLE SCALE
DE APPR.		HARNESS ASSEMBLY NTS
DATE	11.06.07	COPYRIGHT © 2011 BY DART AEROSPACE LTD

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO17131

Purchase Order Date 6/05/12

PO Print Date 6/05/12

Page Number 1 of 1

Order From :

VU-AMS001

AMSAFE INC.
LOCKBOX #5
P.O BOX 53075
PHOENIX, AZ 85072-3075
US

Contact Name

Buyer

Chantal Lavoie

Vendor Phone

602 850 2850

Requisition Nbr

Vendor Fax

602 850 2812

Tax Resale Nbr

10127-2607

Vendor Account Nbr

Terms

Net 30

Currency

USD

FOB

Destination-Collect

Ship To :

DART AEROSPACE LTD 1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAKED
Carte

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	4192-1-011-2396	4-point Restraint, Separate Shoulder Straps	6/26/12 Yes	4.00 Each	FedEx PI collect	\$241.4000	\$965.60

Special Inst: AS PER DWG D4387 REV. B
B85229
AMSAFE P/N: 4192-1-011-2396

PO Total:

\$965.60

CERTIFICATE OF CONFORMITY
REQ'D UPON DELIVERY

Change Nbr:

1

Change Date: 6/05/12

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required - YES NO

AmSafe

1043 NORTH 47th AVENUE
PHOENIX, AZ 85043
PH (602)850-2850 FAX (602)850-2812

SHIPPER/CERTIFICATION



CUSTOMER NO.
10006113

SALES ORDER NO.
S234842

BOL NO.
000269451

DATE PRINTED
06/22/12

PAGE NO.
1

DART AEROSPACE
1270 ABERDEEN STREET
HAWKESBURY
HAWKESBURY, ON K6A 1K7
Canada

DART AEROSPACE LTD.
1270 ABERDEEN ST
HAWKESBURY,, ON K6A 1K7
Canada

CUSTOMER ORDER NO.
PO17131

TERMS
NET30

FREIGHT
COLLECT

SHIP VIA
FedEx Intl Priority

F.O.B.
ORIGIN

Ship to ID: 10006125

Sales Order Remarks: 1517-9324-0

Remarks:

SHIPMENT REFERENCE 000269451

LINE	ITEM NUMBER / DESCRIPTION	DRAWING AND CERTIFICATIONS	DUE DATE	QTY ORDERED	QTY SHIPPED	QTY BACK ORDERED
1	4192-1-011-2396 REST SYS ASSY	DRAWING: 4192 REV: D CERT: TSO-C114 Lot/Serial Numbers Shipped Quantity S234842-1 4.0	2012-06-26	4 Expire Ref.	4 4	0

Scelze

I certify that the article(s) listed above conform to all applicable design data, and (as applicable):

FAA PMA, FMVSS 209, FMVSS 302, 14 CFR 25.853

FAA TSO C22f, C22g, C114 or TSO Plus

The conditions and tests required for TSO approval of the article(s) are minimum performance standards. It is the responsibility of those installing the article(s) either on or within a specific type or class of aircraft to determine that the aircraft installation conditions are within the standards included in the TSO article including (when applicable) the integrated non-TSO function. The non-TSO function is described as the seat belt airbag system including the inflator cable, sensor, and electrical components that have not been evaluated for functionality or installation requirements. TSO articles including the integrated non-TSO function must have separate approval for installation in an aircraft. The article(s) may be installed only if performed under 14 CFR part 43 or the applicable airworthiness requirements. Product shipped meets all material, processing and test requirements. Certifications/Test Reports as applicable are retained on file at AmSafe Aviation.

AmSafe Authorized Signature: X

Loana Ramirez

Printed Name: _____

JUN 22 2012

Dated: ____/____/____

COUNTRY OF ORIGIN USA

1. Approving National Aviation Authority/Country: FAA/United States		2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG				3. Form Tracking Number: <i>S234842-1-FA</i>	
4. Organization Name and Address:		AmSafe Aviation 1043 North 47th Avenue Phoenix, Arizona 85043				5. Work order/Contract/Invoice Number: S234842 - 1 6. PAGES ATTACHED	
Cert. No. PT1967NM							
6. Item:	7. Description:	8. Part Number:	9. Eligibility: *	10. Quantity:	11. Serial/Batch Number:	12. Status/Work:	
1	REST SYS ASSY	4192-1-011-2396	N/A	4	<i>A0612</i>	NEW	
13. Remarks: Drawing: 4192 Rev: D TSO: TSO-C114							
EXPORT AIRWORTHINESS APPROVAL: THIS ARTICLE MEETS THE SPECIAL REQUIREMENTS OF CANADA							
14. Certifies the items identified above were manufactured in conformity to: <input checked="" type="checkbox"/> Approved design data and are in a condition for safe operation <input type="checkbox"/> Non-approved design data specified in Block 13.				19. <input type="checkbox"/> 14 CFR 43.9 Return to Service <input type="checkbox"/> Other regulation specified in Block 13 Certifies that unless otherwise specified in Block 13, the work identified in Block 12 and described in Block 13 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.			
15. Authorized Signature: <i>Eleanor Arteaga</i>		16. Approval/Authorization No.: ODA602112NM		20. Authorized Signature		21. Authorized/Certificate No.	
17. Name (typed or printed) Eleanor Arteaga		18. Date (m/d/y): <i>JUN 22 2012</i>		22. Names (typed or printed)		23. Date (m/d/y):	
User/Installer Responsibilities							
It is important to understand that the existence of this document alone does not automatically constitute authority to install the part/component/assembly. Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts parts/components/assemblies from the airworthiness authority of the country specified in Block 1. Statements in Blocks 14 and 19 do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.							